(in accordance with Regulation (EU) 2020/878)

# **Potassium Polyacrylate**

Date of compilation: 8/02/2023 **Version 1** 



Page 1 of 10 Print date: 10/02/2023

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

**Potassium Polyacrylate** Product Name:

Plant Hydrogel Synonyms:

Product Code: ALQ0009

Potassium polyacrylate; 2-Propenoic acid, homopolymer, potassium salt Chemical Name:

CAS No: 25608-12-2 EC No: 607-755-0 Formula:  $(C_3H_3KO_2)n$ Registration No: Exempt, polymer Product type: Substance

# 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Use in industrial and professional applications. Superabsorbent polymer.

Description: Potassium polyacrylate is a potassium salt of polyacrylic acid with the chemical formula [-CH2-CH(CO2K)-]n. As a type of superabsorbent polymer, it can absorb hundreds of times its original weight in purified water. Different from sodium polyacrylate, potassium polyacrylate can be used as water retaining agent in agriculture and won't cause soil salinization.

### Uses advised against:

All uses not specified in this section or in section 7.3. Due to lack of experience or data, the supplier cannot approve other unspecified use.

#### 1.3 Details of the supplier of the safety data sheet.

**ALQUERA CIENCIA SL** Company:

Address: C/ Vilar de Donas 9 28050 - Madrid City: Province: Madrid (Spain) 0034 620 88 75 97 Telephone: E-mail: info@alquera.com Web: https://www.alguera.com

1.4 Emergency telephone number: 0034 620 88 75 97 (SDS) (Only available during office hours; Monday-Friday; 09:00-

# **SECTION 2: HAZARDS IDENTIFICATION.**

#### 2.1 Classification of the substance or mixture.

The product is not classified as hazardous within the meaning of Regulation (EC) No 1272/2008.

#### 2.2 Label elements.

The product is not classified as dangerous according to Regulation (EU) No 1272/2008.

#### 2.3 Other hazards.

Substance does not have endocrine disrupting properties.

The substance does not meet the criteria to be considered PBT or vPvB according to Regulation (EC) No. 1907/2006 (REACH), Annex XIII.

Dustiness.

PBT: Persistent Bioaccumulative and Toxic. vPvB: very Persistent and very Bioaccumulative.

(in accordance with Regulation (EU) 2020/878)

# **Potassium Polyacrylate**

Version 1 Date of compilation: 8/02/2023



Page 2 of 10 Print date: 10/02/2023

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.**

#### 3.1 Substances.

Identifiers	Name	Concentration	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 25608-12-2 EC No: 607-755-0	Potassium polyacrylate	97 - 100 %	-	-

#### 3.2 Mixtures.

Not Applicable.

### **SECTION 4: FIRST AID MEASURES.**

#### 4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

#### Inhalation.

If breathing stops, give artificial respiration and seek immediate medical attention. Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 20 minutes while pulling eyelids up and seek medical assistance. Do not let the person to rub the affected eye.

#### Skin contact.

Remove contaminated clothing.

## Ingestion.

Keep calm. NEVER induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed.

Exposure to airborne concentrations above legal or recommended exposure limits may cause irritation of the nose, throat or respiratory tract.

Adverse symptoms may include the following:

eyes: tearing, redness.

inhalation: coughing, irritation of respiratory tract.

Ingestion: May cause irritation to mucous membranes of the mouth, throat and digestive tract.

Skin contact: Exposure to dust may aggravate existing skin conditions due to drying effect.

Eye Contact: Dust may cause burning, dryness, itching and other discomfort. In addition, it may cause reddening of the eyes.

### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

### **SECTION 5: FIREFIGHTING MEASURES.**

#### 5.1 Extinguishing media.

#### Suitable extinguishing media:

Extinguisher powder or CO2. In case of more serious fires, also alcohol-resistant foam and water spray.

### **Unsuitable extinguishing media:**

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

(in accordance with Regulation (EU) 2020/878)

# **Potassium Polyacrylate**

Version 1 Date of compilation: 8/02/2023



Page 3 of 10 Print date: 10/02/2023

# 5.2 Special hazards arising from the substance or mixture. Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

Fire may produce thick black smoke. As a result of thermal decomposition, hazardous products may be formed: carbon monoxide, carbon dioxide, potassium oxides.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account.

#### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES.**

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

#### 6.3 Methods and material for containment and cleaning up.

Contain and collect spillage, clean the area immediately with a suitable decontaminant. Avoid dust formation.

Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

# **SECTION 7: HANDLING AND STORAGE.**

#### 7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

#### Recommendations to prevent toxicological risks:

After handling, wash hands with soap and water.

## 7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures. As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 5 and 35  $^{\rm o}$  C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

## 7.3 Specific end use(s).

See section 1.2. Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

(in accordance with Regulation (EU) 2020/878)

# **Potassium Polyacrylate**

Version 1 Date of compilation: 8/02/2023



Page 4 of 10 Print date: 10/02/2023

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.**

#### 8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values. The product does NOT contain substances with Biological Limit Values.

This is a dusty product. The workplace exposure limit for dust (USA-OSHA) is:

8-hour TWA inhalable dust: 10 mg/m³
 8-hour TWA respirable dust: 5 mg/m³

### 8.2 Exposure controls.

#### Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system. Individual protection measures, such as personal protective equipment As a preventative measure it is recommended to use basic Personal Protective Equipment, in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

#### Respiratory protection

The use of protective equipment will be necessary in case of mist formation or in case of exceeding occupational exposure limits if they exist (see section 8.1). Wear respiratory protection in case of spray application/dust generation. Wear respiratory protection in case of prolonged exposure.

#### Specific protection for the hands

Replace the gloves at any sign of deterioration. Penetration time >480 min (permanent contact protection). The breakthrough time of the selected gloves should be in accordance with the intended period of use. Various factors (e.g. temperature) mean that in practice the breakthrough time of chemical-resistant protective gloves is significantly shorter than the EN374 standard. An increase in temperature due to hot substances, body heat, etc. and a weakening of the effective thickness due to expansion can lead to a significant shortening of the breakthrough time. For the selection of a specific type of glove for a given application, with a certain duration, should take into account (but not be limited to) relevant factors in the workplace, such as: other chemicals to be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential allergies to the glove material itself, etc.... Due to the wide variety of circumstances and possibilities, the instruction manual of the glove manufacturers should be taken into account. Gloves should be replaced immediately if signs of degradation are observed.

### Additional emergency measures

Emergency shower: ANSI Z358-1, ISO 3864-1:2011, ISO 3864-4:2011 Eyewash stations: DIN 12 899, ISO 3864-1:2011, ISO 3864-4:2011

#### Recommendations to prevent toxicological risks:

Do not eat, drink or smoke during handling. After handling, wash hands with soap and water.

Advice on personal protection is valid for high levels of exposure. Choose personal protection adapted to the risks of exposure.

(in accordance with Regulation (EU) 2020/878)

# **Potassium Polyacrylate**

Version 1 Date of compilation: 8/02/2023



Page 5 of 10 Print date: 10/02/2023

Concentration:	100 %						
Uses:	Use in industrial and professional applications.						
	Breathing protection:						
PPE:	Filter mask for protection against gases and particles.						
	«CE» marking, category III. The mask must have a wide field of vision and an						
Characteristics:	anatomically designed form in order to be sealed and watertight.						
CEN standards:	EN 136, EN 140, EN 405						
Maintenance:	Should not be stored in places exposed to high temperatures and damp environments before use. Special attention should be paid to the state of the inhalation and exhalation valves in the face adaptor. Read carefully the manufacturer's instructions regarding the equipment's use and maintenance. Attach						
Observations:	the necessary filters to the equipment according to the specific nature of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX), changing them as advised by the manufacturer.						
Hand protection:							
PPE:	Protective gloves against chemicals.						
Characteristics:	«CE» marking, category III.						
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420						
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.						
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.						
Material:	Nitrile Breakthrough time (min.): Material thickness (mm): 0,11						
Eye protection:							
PPE: Characteristics:	Protective goggles against particle impacts. «CE» marking, category II. Eye protector against dust and smoke.						
CEN standards:	EN 165, EN 166, EN 167, EN 168						
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.						
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.						
Skin protection:							
PPE:	Protective clothing.						
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.						
CEN standards:	EN 340						
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by						
Maintenance.	the manufacturer.						
Observations	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level						
Observations:	of activity and the expected time of use.						
PPE:	Work footwear.						
Characteristics:							
CEN standards:	«CE» marking, category II. EN ISO 13287, EN 20347						
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should						
Figuriteriance.	not be used by other people.						
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident						

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.**

# 9.1 Information on basic physical and chemical properties.

Appearance:

Physical state (20°C): Solid - Dust (Crystals or Granules)

Colour: White Odour: odorless

Odour threshold: Not applicable/Not available due to the nature/properties of the product

(in accordance with Regulation (EU) 2020/878)

# **Potassium Polyacrylate**

Version 1 Date of compilation: 8/02/2023



Page 6 of 10 Print date: 10/02/2023

#### Volatility:

Boiling point or initial boiling point and boiling range: Not applicable/Not available due to the nature/properties of the product

Vapour pressure: negligible, < 15 mmHg (20°C)

Relative vapour density: N.A. Evaporation rate: N.A.

#### Flammability:

Flammability: not flammable. Lower explosion limit: N.A. Upper explosion limit: N.A.

Flash point: N.A.

Auto-ignition temperature: N.A.

#### **Product description:**

Melting point: N.A.

Decomposition temperature: N.A.

pH: 7

Kinematic viscosity (40°C): Not applicable, solid. Dynamic viscosity (20°C): Not applicable, solid. Solubility: Insoluble, only capable of swelling (22°C) Water solubility: Insoluble, only capable of swelling (22°C)

Liposolubility: N.A.

Partition coefficient n-octanol/water (log value): N.A.

Density: 700 kg/m3

#### **Particle characteristics:**

N.A.This product does not contain nanoparticles.

N.A.= Not Available/Non- Applicable due to the nature of the product, not providing information property of its hazards

#### 9.2 Other information:

Explosive properties: There are no chemical groups associated with explosive properties present, therefore,

according to REACH, Annex VII, 7.11, column 2, the study is not necessary.

Oxidizing properties: non-oxidizing. Based on the chemical structure, the product is incapable of exothermically reacting with combustible materials. According to REACH, Annex VII, 7.13, column 2, the study does not need to be carried out.

Drop point: N.A. Scintillation: N.A. % Solids: ≥ 97%

N.A.= Not Available/Non- Applicable due to the nature of the product, not providing information property of its hazards

The data corresponding to the product specifications can be found in the product technical data sheet. For further data on physical and chemical properties related to safety and environment, see sections 7 and 12.

## **SECTION 10: STABILITY AND REACTIVITY.**

#### 10.1 Reactivity.

The product does not present hazards by their reactivity, under the recommended handling and storage conditions (see section 7). The product in the delivered form is not capable of producing a dust explosion; but the accumulation of fine dust leads to a dust explosion hazard.

## 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions, under the recommended handling and storage conditions (see section 7).

#### 10.4 Conditions to avoid.

Avoid any improper handling. Avoid dust dispersion and exposure to moisture. Incompatible materials Strong oxidizing agents

(in accordance with Regulation (EU) 2020/878)

# **Potassium Polyacrylate**

Version 1 Date of compilation: 8/02/2023



Page 7 of 10 Print date: 10/02/2023

#### 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

#### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

Fire may produce thick black smoke. As a result of thermal decomposition, hazardous products may be formed: carbon monoxide, carbon dioxide, potassium oxides.

#### **SECTION 11: TOXICOLOGICAL INFORMATION.**

Product classification has been carried out using the conventional calculation method of Regulation (EC) No 1272/2008(CLP)/ extrapolation with similar products.

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008.

#### Toxicological information.

Name	Acute toxicity			
Name	Туре	Test	Kind	Value
	Oral	LD50	Rat	>2000 mg/kg
Potassium polyacrylate	Dermal	LD50	Rat	> 2000 mg/kg
CAS No: 25608-12-2 EC No:	Inhalation			

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Not conclusive data for classification.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

IARC: No components of this product are identified at levels  $\geq 0.1\%$  as probable, possible or confirmed human carcinogens by the International Agency for Research on Carcinogens (IARC).

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Not conclusive data for classification.

j) aspiration hazard;

Not conclusive data for classification.

## 11.2 Information on other hazards.

### **Endocrine disrupting properties**

The substance does not contain components with endocrine-disrupting properties with effects on human health. according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Other information**

There is no information available on other adverse health effects.

(in accordance with Regulation (EU) 2020/878)

# **Potassium Polyacrylate**

Version 1 Date of compilation: 8/02/2023



Page 8 of 10 Print date: 10/02/2023

#### **SECTION 12: ECOLOGICAL INFORMATION.**

Product classification has been carried out using the conventional calculation method of Regulation (EC) No 1272/2008(CLP)/ extrapolation with similar products.

### 12.1 Toxicity.

No information is available regarding the ecotoxicity.

#### 12.2 Persistence and degradability.

No information is available regarding the biodegradability

No information is available on the degradability

No information is available about persistence and degradability of the product.

#### 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation.

# 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

The product is not very soluble in water and can thus be removed from water mechanically in suitable effluent treatment plants.

#### 12.5 Results of PBT and vPvB assessment.

Not PBT Substance (Persistent, Bioaccumulative and Toxic) or vPvB (very Persistent and very Bioaccumulative).

#### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties ≥ 0,1%

#### 12.7 Other adverse effects.

No information is available about other adverse effects for the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS.**

#### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See section 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation:

Follow the provisions of Directive 2008/98/EC, Decision 2014/955/UE, Directive (UE) 2018/851, Directive (UE) 2019/904 regarding waste management. EU-legislation: Regulation (EU) No. 1357/2014 and modifications.

It is not possible to assign a specific code, as it depends on the user's intended use.

(in accordance with Regulation (EU) 2020/878)

# **Potassium Polyacrylate**

Version 1 Date of compilation: 8/02/2023



Page 9 of 10 Print date: 10/02/2023

#### **SECTION 14: TRANSPORT INFORMATION.**

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

#### 14.1 UN number or ID number.

Transportation is not dangerous.

#### 14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport. IMDG: Not classified as hazardous for transport. ICAO/IATA: Not classified as hazardous for transport.

## 14.3 Transport hazard class(es).

Transportation is not dangerous.

#### 14.4 Packing group.

Transportation is not dangerous.

#### 14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

#### 14.6 Special precautions for user.

Transportation is not dangerous.

#### 14.7 Maritime transport in bulk according to IMO instruments.

Transportation is not dangerous.

# **SECTION 15: REGULATORY INFORMATION.**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Volatile organic compound (VOC)

VOC content (p/p): 0 %

VOC content: 0 g/l

The product is not affected by Directive 2012/18/EU (SEVESO III).

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): WGK 1: Slightly hazardous to water. (Autoclassified according to the AwSV Regulations) Substances included in Annex XIV of REACH (authorisation list) and expiry date: Not relevant.

SVHC substances candidate for inclusion in Annex XIV of Regulation (EC) No 1907/2006: Not relevant.

This product does not contain substances restricted by the REACH regulation.

## Special provisions for the protection of humans or the environment:

It is recommended to use the information compiled in this safety data sheet as input data in a risk assessment of the local circumstances to establish the necessary risk prevention measures for the handling, use, storage and disposal of the product.

# 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# **SECTION 16: OTHER INFORMATION.**

# Legislation related to safety data sheets:

The Safety Data Sheet shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

(in accordance with Regulation (EU) 2020/878)

# **Potassium Polyacrylate**

Version 1 Date of compilation: 8/02/2023



Page 10 of 10 Print date: 10/02/2023

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data/ calculation method 2.6.4.3

Health hazards Calculation method Environmental hazards Calculation method

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

AwSV: Facility Regulations for handling substances that are hazardous for the water.

CEN: European Committee for Standardization.
EC50: Half maximal effective concentration.
PPE: Personal protection equipment.
LC50: Lethal concentration, 50%.
LD50: Lethal dose, 50%.
WGK: Water hazard classes.

Key literature references and sources for data:

http://eur-lex.europa.eu/homepage.html

http://echa.europa.eu/

Regulation (EU) 2020/878. Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.