

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

FLUORESCCEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 1 of 11
Print date: 24/10/2024

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

1.1 Product identifier.

Product Name: **FLUORESCCEIN, SODIUM 1%**
Product Code: ALQ0056
Product type: Mixture. Category: Fluorescent Tracers.
UFI: Not applicable. The product is not classified as dangerous according to CLP regulation.

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Fluorescent tracer.
Radiator coolants, generator coolants, detection of spills and leaks in pipelines.
Laboratory reagent.

Uses advised against:

All uses not specified in this section or in section 7.3. Due to lack of experience or data, the supplier cannot approve other unspecified use.

1.3 Details of the supplier of the safety data sheet.

Company: **ALQUERA CIENCIA SL**
Address: C/ Vilar de Donas 9
City: 28050 - Madrid
Province: Madrid (Spain)
Telephone: 0034 620 88 75 97
E-mail: info@alquera.com
Web: <https://www.alquera.com>

1.4 Emergency telephone number:

0034 620 88 75 97 (SDS) (Only available during office hours; Monday-Friday; 09:00-18:00).

SECTION 2: HAZARDS IDENTIFICATION.

2.1 Classification of the substance or mixture.

The product is not classified as hazardous within the meaning of Regulation (EC) No 1272/2008.

2.2 Label elements.

The product is not classified as hazardous within the meaning of Regulation (EC) No 1272/2008.

2.3 Other hazards.

The mixture does not contain substances classified as PBT (Persistent, Bioaccumulative and Toxic) $\geq 0.1\%$.
The mixture does not contain substances classified as vPvB (very Persistent and very Bioaccumulative) $\geq 0.1\%$.

The mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations equal to or greater than 0.1%.

The mixture and its substances are not mentioned in the candidate list of substances for possible inclusion in Annex XIV of the REACH Regulation at the date of review of the safety data sheet (established in accordance with Article 59(1) of the REACH Regulation).

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

3.1 Substances.

Not applicable.

3.2 Mixtures.

This mixture does not contain substances at a concentration higher than the values established in Annex II of Regulation (EC) 1907/2006 and its subsequent modifications, which represent a danger to health or the environment, neither have a limit of Community exposure in the workplace, neither are classified as PBT / vPvB, neither are they on the candidate list.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

FLUORESCHEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 2 of 11
Print date: 24/10/2024

Description: Fluorescein aqueous solution 1%.

Identifiers	Name	Concentration	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 518-47-8 EC No: 208-253-0	disodium 2-(3-oxo-6-oxidoxanthen-9-yl)benzoate; Acid Yellow 73	1 %	Not classified as hazardous	-

SECTION 4: FIRST AID MEASURES.

4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

Inhalation.

If breathing stops, seek emergency medical attention. Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 15-20 minutes while pulling eyelids up and seek medical assistance.

Skin contact.

Remove contaminated clothing. Wash skin vigorously with soap and water or a suitable skin cleanser. NEVER use solvents or thinners.

Ingestion.

If accidentally swallowed, seek medical attention immediately. Keep calm. NEVER induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Treat symptomatically. Contact a poison treatment specialist immediately if a large amount has been ingested.

SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire. Non-flammable but combustible product.

5.1 Extinguishing media.

Suitable extinguishing media:

Extinguisher powder or CO₂. In case of more serious fires, also alcohol-resistant foam and water spray.

Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

5.2 Special hazards arising from the substance or mixture.

Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

Decomposition products may include:

Carbon oxides (CO, CO₂), sodium oxides.

Vapours are heavier than air and may spread along the floor.

In case of fire possible formation of hazardous combustion gases or vapours.

Carbon monoxide is very toxic by inhalation. Carbon dioxide, in sufficient concentrations, can behave as an asphyxiating gas.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

FLUORESCEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 3 of 11
Print date: 24/10/2024

5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Follow the instructions given in the emergency or fire evacuation plan or plans if available.

Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots. During extinction and depending on the magnitude and proximity to the fire, additional protective equipment such as chemical protection gloves, heat-reflecting suits or gas-tight suits may be required. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

SECTION 6: ACCIDENTAL RELEASE MEASURES.

6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.
Avoid contact with eyes, skin and clothing.

6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

6.3 Methods and material for containment and cleaning up.

Contain and collect spillage with inert absorbent material (earth, sand, vermiculite, Kieselguhr...) and clean the area immediately with a suitable decontaminant.
Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.
For later elimination of waste, follow the recommendations under section 13.

SECTION 7: HANDLING AND STORAGE.

7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:
For personal protection, see section 8.
In the application area, smoking, eating, and drinking must be prohibited.
Follow legislation on occupational health and safety.
Keep the product in containers made of a material identical to the original.

Avoid contact with skin and eyes, body and clothing.
Wash hands especially before eating or smoking and immediately after handling the product.
Provide sufficient air renewal and/or ventilation at workplaces.

7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures.
As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.
Keep away from oxidising agents and from highly acidic or alkaline materials.
Store the containers between 5 and 30 ° C, in a dry and well-ventilated place.
Store according to local legislation. Observe indications on the label. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.
The product is not affected by Directive 2012/18/EU (SEVESO III).

7.3 Specific end use(s).

See section 1.2. Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

The information contained in this section contains general advice and indications. The information provided is based on the usual anticipated uses for the product. Additional measures may be necessary for bulk handling or other uses that could significantly increase worker exposure or environmental release.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

FLUORESCEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 4 of 11
Print date: 24/10/2024

8.1 Control parameters.

The product does NOT contain substances with Professional Exposure Environmental Limit Values.

The product does NOT contain substances with Biological Limit Values.

8.2 Exposure controls.

Measures of a technical nature:

Provide adequate ventilation, which can be achieved by using good local exhaust-ventilation and a good general exhaust system.

Individual protection measures, such as personal protective equipment As a preventative measure it is recommended to use basic Personal Protective Equipment, in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsections 7.1 and 7.2. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

Respiratory protection

The use of protective equipment will be necessary in case of mist/dust formation or in case of exceeding occupational exposure limits if they exist (see section 8.1). Use respiratory protection in case of spray application, in case of prolonged exposure or insufficient ventilation.

Specific protection for the hands

Replace the gloves at any sign of deterioration. Breakthrough time >480 min (permanent contact protection). When only brief contact is expected, it is recommended to use gloves with level 2 or higher protection, with breakthrough time >30 min. The breakthrough time of the selected gloves should be in accordance with the intended period of use. Various factors (e.g. temperature) mean that in practice the breakthrough time of chemical-resistant protective gloves is significantly shorter than that specified in EN374. An increase in temperature due to hot substances, body heat, etc. and a weakening of the effective thickness due to expansion can lead to a significant shortening of the breakthrough time.

For the selection of a specific type of gloves for specific applications, with a certain duration, relevant factors in the workplace should be taken into account (but not limited to), such as: other chemicals to be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential allergies to the glove material itself, etc... Due to the wide variety of circumstances and possibilities, the instruction manual of the glove manufacturers should be taken into account. Gloves should be replaced immediately if signs of degradation are observed.

Clothing:

Clothing, including boots, gloves, lab coat, apron or coveralls, should be worn whenever there is a possibility of skin contact. Wash hands before work breaks and after work is finished. Change contaminated clothing.

Additional emergency measures

Emergency shower: ANSI Z358-1, ISO 3864-1:2011, ISO 3864-4:2011

Eyewash stations: DIN 12 899, ISO 3864-1:2011, ISO 3864-4:2011

General measures:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Good personal hygiene practices are necessary at all times when working with chemicals. These practices include, but are not limited to, cleaning equipment when it is removed at the end of each shift or when taking breaks and especially if contamination occurs.

Environmental exposure controls:

Prevent penetration of product into drains.

Prevent release to the environment. Comply with EU environmental protection legislation.

Follow good industrial hygiene and safety practices when handling.

If skin/eye contact is possible, wear suitable hand/eye/body protection.

Advice on personal protection is valid for high levels of exposure.

Choose personal protection adapted to the risks of exposure.

SAFETY DATA SHEET





(in accordance with Regulation (EU) 2020/878)

FLUORESCEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 5 of 11
Print date: 24/10/2024

Concentration:	100 %				
Uses:	Professional/industrial use. Fluorescent tracer. Radiator coolants, generator coolants, detection of spills and leaks in pipelines. Laboratory reagent				
Breathing protection: If the recommended technical measures are observed, no individual protection equipment is necessary.					
Hand protection:					
PPE:	Protective gloves against chemicals.				
Characteristics:	«CE» marking, category III.				
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420				
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.				
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.				
Material:	Nitrile	Breakthrough time (min.):	> 480	Material thickness (mm):	0,11
Eye protection: If the recommended technical measures are observed, no individual protection equipment is necessary. Wear protective goggles in case of risk of splashing in the eyes.					
PPE:	Protective goggles with built-in frame.				
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.				
CEN standards:	EN 165, EN 166, EN 167, EN 168				
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.				
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.				
Skin protection: If the recommended technical measures are observed, no individual protection equipment is necessary.					
PPE:	Protective clothing.				
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.				
CEN standards:	EN 340				
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.				
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.				
PPE:	Anti-static safety footwear against chemicals.				
Characteristics:	«CE» marking, category III. Check the list of chemicals against which the footwear is resistant.				
CEN standards:	EN ISO 13287, EN 13832-1, EN 13832-2, EN 13832-3, EN ISO 20344, EN ISO 20345				
Maintenance:	For correct maintenance of this kind of safety footwear, it is necessary to observe the instructions specified by the manufacturer. The footwear should be replaced as soon as any sign of damage is observed.				
Observations:	The footwear should be cleaned regularly and dried when damp, although it should not be placed too close to a source of heat in order to avoid any sharp changes in temperature.				

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

9.1 Information on basic physical and chemical properties.

Appearance:

Physical state (20°C): liquid.

Colour: yellow.

Odour: odourless.

Odour threshold: Not relevant due to the nature of the product, not providing information property of its hazards.

Volatility:

Boiling point or initial boiling point and boiling range: ≥ 100 °C, aqueous solution (Estimations in base on the Regulation (CE) N°1272 / 2008 indications and components).

Vapour pressure: N.A.

Relative vapour density (air=1): N.A.

Evaporation rate : N.A.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

FLUORESCEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 6 of 11
Print date: 24/10/2024

Flammability:

Flammability: not flammable but combustible.

Flash point: >200 °C (Estimation/Calculation method (2.6.4.3)); fluorescein 217.6 °C at 967.3 hPa (ECHA, Pensky-Martens flash point apparatus).

Lower explosion limit: N.A.

Upper explosion limit: N.A.

Auto-ignition temperature: N.A. The substance fluorescein is not auto-flammable, decomposes > 300 °C (ECHA).

Product description:

Melting/ freezing point: N.D. Being an aqueous solution it is expected to freeze ≤0°C.

Decomposition temperature: N.A.

pH: 8-10 (fluorescein 1%, 20°C).

Dynamic viscosity (20°C): N.A.

Kinematic viscosity (40°C): N.A.

Solubility: soluble in water.

Water solubility: soluble in water (fluorescein water solubility > 100 g/l, 20 °C).

Liposolubility: N.A.

Partition coefficient n-octanol/water (log value): N.A.; fluorescein 0.34 (pH 7) (ECHA).

Absolute density: N.A.

Relative density (water=1): 0.8-1.0 (estimated based on components).

Particle characteristics:

Granulometry: Not applicable, liquid mixture. 1% aqueous solution.

N.A.= Not Available/Non- Applicable due to the nature of the product, not providing information property of its hazards.

9.2 Other information

Explosiveness: Non-explosive product.

In accordance with column 2 of Annex VII, 7.11 of the REACH regulation, the study does not need to be conducted since there are no chemical groups associated with explosive properties present in the molecule of Disodium 2-(3-oxo-6-oxido-xanthen-9-yl)benzoate (Common Name: fluorescein sodium).

Oxidising properties: non-oxidising product. In accordance with column 2 of Annex VII, 7.13 of the REACH regulation, the substance Disodium 2-(3-oxo-6-oxido-xanthen-9-yl)benzoate (Common Name: fluorescein sodium) is incapable of reacting exothermically with combustible materials on the basis of the chemical structure. It is an organic substance containing oxygen, but no halogen atoms and these elements are not chemically bonded to nitrogen or oxygen.

Drop point: N.A.

Scintillation: N.A.

Solids %: 1%.

N.A.= Not Available/Non- Applicable due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY.

10.1 Reactivity.

The product does not present hazards by their reactivity under the recommended handling and storage conditions (see section 7).

10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

If exposed for a long time to light/UV it may decompose.

10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions under the recommended handling and storage conditions (see section 7). Possible violent reactions with strong oxidizing agents.

10.4 Conditions to avoid.

Avoid any improper handling, UV radiation/direct sunlight, strong heating. Avoid: contact with eyes and skin.

10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials. Nitrates, chlorine bleaches.

10.6 Hazardous decomposition products.

No decomposition if used for the intended uses. Decomposition products may include:

Carbon oxides (CO, CO₂), sodium oxides.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

FLUORESCEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 7 of 11
Print date: 24/10/2024

SECTION 11: TOXICOLOGICAL INFORMATION.

The classification of this mixture has been carried out using the conventional calculation method of Regulation (EC) No. 1272/2008(CLP), extrapolation with similar products.

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008.

11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

There are no tested data available on the product.

Toxicological information.

a) acute toxicity;
Not classified.

Name	Acute toxicity			
	Type	Test	Kind	Value
disodium 2-(3-oxo-6-oxidoxanthen-9-yl)benzoate CAS No: 518-47-8 EC No: 208-253-0	Oral	LD50	mouse	4750 mg/kg bw [1]
		LD50	Rat	6720 mg/kg [2]
			[1] Study report,1984. According to Study is conducted to check the LD50 of Sodium fluorescein after oral administration in mice [2]ECHA	
	Dermal			
	Inhalation			

b) skin corrosion/irritation;
Not conclusive data for classification.

c) serious eye damage/irritation;
Not conclusive data for classification.

d) respiratory or skin sensitisation;
Not conclusive data for classification.

e) germ cell mutagenicity;
Not classified. In view of the available data, the classification criteria are not met, presenting no substances classified as hazardous for the described effects $\geq 0.1\%$.

Fluorescein:

Not classified.

Ames test, *Salmonella typhimurium*

Metabolic activation: with or without metabolic activation.

Result: negative (ECHA)

Mutagenicity (mammalian cell test): micronucleus test.

Result: negative (National Toxicology Program)

f) carcinogenicity;
In view of the available data, the classification criteria are not met, presenting no substances classified as hazardous for the described effects $\geq 0.1\%$.

g) reproductive toxicity;
In view of the available data, the classification criteria are not met, presenting no substances classified as hazardous for the described effects $\geq 0.1\%$.

h) STOT-single exposure;
Not conclusive data for classification.

i) STOT-repeated exposure;
Not conclusive data for classification.

j) aspiration hazard;
Not conclusive data for classification.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

FLUORESCEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 8 of 11
Print date: 24/10/2024

11.2 Information on other hazards.

Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health $\geq 0.1\%$.

Other information

There is no information available on other adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION.

The classification of this mixture has been carried out using the conventional calculation method of Regulation (EC) No. 1272/2008(CLP), extrapolation with similar products.

12.1 Toxicity.

This product is not considered to pose a risk to the environment and, as such, is not classified as harmful or dangerous to the environment in accordance with Regulation (EC) No. 1272/2008 (EU CLP).

Name	Ecotoxicity			
	Type	Test	Kind	Value
disodium 2-(3-oxo-6-oxidoxanthen-9-yl)benzoate CAS No: 518-47-8 EC No: 208-253-0	Fish	LC50	Rainbow trout (<i>Salmo gairdneri</i>) 2. Channel catfish (<i>Ictalurus punctatus</i>) and Bluegill (<i>Lepomis macrochirus</i>)	1372 mg/l (96 h) [1]
	Aquatic invertebrates	LC50	<i>ashy pebblesnail Fluminicola fuscus</i>	337 mg/l (48 h) [1]
	Aquatic plants	EC50	<i>Chlorella vulgaris</i>	209.24 mg/l (72 h) [1]

12.2 Persistence and degradability.

Soluble in water, Persistence is unlikely.

Fluorescein:

Aerobic biodegradability - 28 days

7.6 % - Not biodegradable

(OECD Test Guidelines 301D)

12.3 Bioaccumulative potential.

Bioaccumulation is not expected.

Fluorescein:

Bioaccumulation Cyprinus carpio (Carp) - 28 days

- 0.46 mg/l (Disodium 2-(3-oxo-6-oxidoxanthen-9-yl)benzoate)

log POW 0.34 (pH 7) (ECHA).

BCF ≤ 0.27 (ECHA)

12.4 Mobility in soil.

No information is available about the mobility in soil.

The product is soluble in water and can spread in aqueous systems. It will probably be mobile in the environment due to its solubility in water.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

FLUORESCEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 9 of 11
Print date: 24/10/2024

12.5 Results of PBT and vPvB assessment.

This substance does not contain components considered to be persistent, bioaccumulative, toxic, (PBT) or very bioaccumulative and very persistent (vPvB) $\geq 0.1\%$.

12.6 Endocrine disrupting properties.

This product does not contain components with environmental endocrine disrupting properties $\geq 0.1\%$.

12.7 Other adverse effects.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

SECTION 13: DISPOSAL CONSIDERATIONS.

13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See section 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation:

Follow the provisions of Directive 2008/98/EC, Decision 2014/955/UE, Directive (UE) 2018/851, Directive (UE) 2019/904 regarding waste management. EU-legislation: Regulation (EU) No. 1357/2014 and modifications.

It is not possible to assign a specific code, as it depends on the user's intended use.

SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

14.1 UN number or ID number.

Transportation is not dangerous.

14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

14.3 Transport hazard class(es).

Transportation is not dangerous.

14.4 Packing group.

Transportation is not dangerous.

14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

14.6 Special precautions for user.

Transportation is not dangerous.

14.7 Maritime transport in bulk according to IMO instruments.

Not classified as hazardous for transport. Bulk transport is not foreseen.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

FLUORESCEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 10 of 11
Print date: 24/10/2024

SECTION 15: REGULATORY INFORMATION.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

Volatile organic compound (VOC)

VOC content (p/p): 0 %

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

Kind of pollutant to water (Germany): nwg: Non-hazardous to water. (Autoclassified according to the AwSV Regulations)

Drug Precursors Regulation (EC 273/2004)

Does not contain any substances included in the list of drug precursors (EC Regulation 273/2004) on the manufacture and placing on the market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

Regulation on explosives precursors (EU 2019/1148).

Does not contain any substances included in the list of explosives precursors (EU Regulation 2019/1148 on the placing on the market and use of explosives precursors).

POPs Regulation (Persistent Organic Pollutants)

Does not contain any substance included in the POPs list (EU Regulation 2019/1021 on persistent organic pollutants).

REACH Annex XIV (Authorization List): Does not contain any substance/use listed in REACH Annex XIV.

REACH Candidate List of Substances of Very High Concern (SVHC): Does not contain any substance listed in the REACH Candidate List > 0.1%.

REACH Annex XVII (Restriction List): Contains no substances/uses subject to restrictions according to REACH Annex XVII.

Special provisions for the protection of humans or the environment:

It is recommended to use the information compiled in this safety data sheet as input data in a risk assessment of the local circumstances with assessment of the local circumstances to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

15.2 Chemical safety assessment.

The supplier has not carried out a Chemical Safety Assessment for the mixture.

SECTION 16: OTHER INFORMATION.

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method/expert judgement
Environmental hazards	Calculation method

It is recommended that the product only be employed for the purposes advised.

Abbreviations and acronyms used:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute toxicity estimation.

AwSV: Facility Regulations for handling substances that are hazardous for the water.

BCF: Bioconcentration factor.

CAS: Chemical Abstract Service number.

CEN: European Committee for Standardization.

CLP: Regulation (EC) No. 1272/2008 on classification, labeling and packaging.

-Continued on next page.-

SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

FLUORESCEIN, SODIUM 1%

Version 1 Date of compilation: 23/10/2024



Page 11 of 11
Print date: 24/10/2024

DREL: Derived Minimal Effect Level, exposure level corresponding to a low risk, which should be considered a minimum tolerable risk.
DNEL: Derived No Effect Level, level of exposure to the substance below which no adverse effects are expected.
EC50: Half maximal effective concentration.
EN: European Standard.
IARC: International Agency for Research on Cancer.
IATA: International Air Transport Association.
ICAO: International Civil Aviation Organization.
IMDG: International Maritime Dangerous Goods Code.
PBT: Persistent, Bioaccumulative, Toxic.
PNEC: Predicted No Effect Concentration, concentration of the substance below which no adverse effects on environmental performance are expected.
PPE: Personal protection equipment.
LC50: Lethal concentration, 50%.
LD50: Lethal dose, 50%.
LOAEL: Lowest observed adverse effect level.
NOAEC: No Observed Adverse Effect Concentration.
NOAEL: No Observed Adverse Effect Level.
NOEC: No Observed Effect Concentration.
OECD: Organization for Economic Cooperation and Development.
OEL/TWA/VLA : Occupational exposure limit.
RID: Regulation concerning the international transport of dangerous goods by rail.
SDS: Safety Data Sheet.
UFI: Unique Formula Identifier.
WGK: Water hazard classes.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2020/878.

Regulation (EC) No 1907/2006.

Regulation (EC) No 1272/2008.

Supplier Safety Data Sheet, SDS.

GESTIS SUBSTANCE DATABASE

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.